

V1570 SERIES

HOUSING MOUNTS

Infinova[®]



V1571-W



V1573-A



V1573



V1573-2



V1573-B

FEATURES

- For indoor/outdoor installations
- Die-cast aluminium
- Easy installation and maintenance

V1571-W wall mount is specially designed for V1401 and V1405 small housing and provides 360° horizontal adjustment and proper vertical adjustment. The maximum load is 15kg.

V1573 and V1573-2 mounts are specially designed for V1405, V1406 and V1407 indoor/outdoor housing and provide 360° horizontal adjustment and proper vertical adjustment.

V1573-A wall mount is specially designed to install the cables inside the mount and provide 360° horizontal adjustment and proper vertical adjustment. V1573-A has the maximum load of 20kg, which can be used for installation of V1405-7-1 and V1405-10SH-1 housing.

V1573-B mount is specially designed to install the cables inside the mount and provide 360° horizontal adjustment and proper vertical adjustment. V1573-B has the maximum load of 15kg, which can be used for installation of VS351 integrated camera and V1406-15S-L housing.

TECHNICAL SPECIFICATIONS

| | |
|-----------------------------|---|
| Housing Installation | V1571-W: Fix with two M6x16 hex socket head cap screws; V1573: Fix with two M6x16 hex socket head cap screws; V1573-2: Fix with two M6x16 hex socket head cap screws; V1573-A: Fix with two 1/4" hex socket head cap screws; V1573-B: Fix with three 1/4" hex socket head cap screws; |
| Weight | V1571-W: 1.43 lbs. (0.65 kg); V1573: 2.43 lbs. (1.1 kg) V1573-2: 2.43 lbs. (1.1 kg) V1573-A: 1.70 lbs. (0.77 kg) V1573-B: 1.17 lbs. (0.53 kg) |


| | |
|-------------------------------|--|
| Loading | V1571-W: 33.07 lbs. (15 kg); V1573: 44.09 lbs. (20 kg) V1573-2: 44.09 lbs. (20 kg) V1573-A: 44.09 lbs. (20 kg) V1573-B: 33.07 lbs. (15 kg) |
| Box Dimensions (L×W×H) | V1571-W: 12.20"×4.33"×3.35" (310mm×110mm×85mm); V1573: 5.31"×4.72"×3.94" (135mm×120mm×100mm) V1573-B: 7.87"×4.65"×4.72" (200mm×118mm×120mm) |

ORDERING INFORMATION


| | |
|----------------|---|
| V1571-W | Wall Mount, H/V adjustable for housing (V1405), 33.07 lbs (15 kg) load |
| V1573 | Mount Adapter, Adds H/V adjustability to Wall Mount for housing (V1405, V1406, V1407), 44.09 lbs (20 kg) load |
| V1573-2 | Mount Adapter, Adds H/V adjustability to Wall Mount for housing (V1405, V1406, V1407), 44.09 lbs (20 kg) load |
| V1573-A | Wall Mount, H/V adjustable for housing (V1405-7-1, V1405-10SH-1), 44.09 lbs (20 kg) load |
| V1573-B | Cross-bar Mount, H/V adjustable for VS351 integrated camera and V1406-15S-L housing, 33.07 lbs. (15 kg) load |

DIMENSIONS


V1571-W




V1573




V1573-2



V1573-A



V1573-B



(Unit: inch, in the parentheses is mm)